

### PARTS LIST:

Part no.	Description	QTY	Part no.	Description	QTY
A	Stainless Steel Spring Grip Handle	1	I	Air Vent - Lid	1
B	Lid	1	1	Heat resistant washer	2
C	Cooking Grill	1	2	Small screw – air vent M5x10 (Dia.5mm)	2
D	Charcoal Grill	1	3	Small wing nut – air vent	2
E	Firebowl	1	4	Large wing nut	6
F	Air Vent - Fire bowl	1	5	Large screw M6x14 (Dia.6mm)	6
G	Leg	3	6	Large washer	5
H	Ash Catcher	1	7	Small washer – air vent	2

## TOOLS NEEDED :


- Spanner
- Phillips head screwdriver
- Pliers - optional
- Slotted head screwdriver - optional

## PRE-ASSEMBLY CHECK LIST :

1. To assure fast and easy assembly please read through all the assembly instructions before starting assembly
2. Check that you have all parts listed – if any parts are missing please contact Solus Leisure Ltd on 01905 798 666

## ASSEMBLY INSTRUCTIONS :

1. Attach the 3 legs (G) to the firebowl (E) using the large screws (5), large washers (6) and wing nuts (4).
2. Attach the ash catcher (H) to the legs (G) using the large screws (5) and wing nuts (4).
3. Attach the air vent - fire bowl (F) to the firebowl (E) using the small screw (2), small washer (7), and wing nut (3).
4. Attach the stainless steel spring handle (A) to the lid (B) using the large screws (5), heat resistant washers (1), large washers (6) and wing nuts (4).
5. Attach the air vent - lid (I) to the lid (B) using the small screw (2), small washer (7), and wing nut (3).
6. Place the charcoal grill (D) into position inside firebowl (E).
7. Place the cooking grill (C) in place.



**IMPORTANT:**

As with any round kettle BBQ care must be taken to prevent heat damage to anything around or under the grill.

Revolution recommend the use of instant lighting charcoal. If using standard charcoal Revolution recommend the use of fire lighters or lighting cubes. Revolution do not recommend the use of fire lighting fluid.

**LIGHTING INSTRUCTIONS:**

1. Place the instant lighting charcoal in the base of the BBQ on top of the charcoal grill (D).
2. Light the charcoal and leave the lid and cooking grill off until the charcoal has turned grey and is ready to cook – approximately 20 to 30 mins.

Do not extinguish the BBQ with water as this will damage the BBQ finish.

To extinguish coals close all vents.

**WARNING:**

Great care has been taken during production to remove all sharp edges but you should handle all components with care to avoid possible injury